



Solutions for laboratories and small scale manufacturing, right through to full size production.



Dec can integrate a number of milling equipment into their process solutions including Dec's crusher, Co-Mill, hammer mill, UMS DecMill® and the MC DecJet® spiral jet mill range. Whatever concept best suits your needs, our solutions focus on high safety and containment, increased productivity and streamlining processes.

Our core expertise lies in milling powder in the low range, typically below 100 microns down to 1 micron, either by using UMS DecMill® or our MC DecJet® jet mill line.

Dec's flexible, multi-format jet milling equipment is designed to satisfy a full range of high requirements. Available in open and highly contained arrangements our patented 4th generation MC DecJet® jet mills provide the ability to micronize difficult and hard to handle products thus serving many applications throughout the pharmaceutical, chemical, cosmetics and food industries.

Our micronizing systems can be supplied in different versions for sterile, toxic or sterile-toxic applications with the great advantage of being 100% scalable.

New 4th generation MC DecJet® jet milling range advantages:

Single pass technology, narrow Particle Size Distribution (PSD), designed to reduce issues with sticky products, optimized product recovery rates, integrated nozzles prevent errors during installation and/or leaks during process, easy to clean, easy to assemble, no tools required, easy integration into glove boxes and isolators

R&D				
Size	Capacity Configuration			
MC DecJet® 30	0.2 g – 50 g/h	Bottom Discharge		
MC DecJet® 50	35 g – 200 g/h	Bottom Discharge		
Pilot Production				
MC DecJet® 100	50 g – 5 kg/h	Top/Bottom Dis.		
MC DecJet® 150	500 g – 30 kg/h	Top Discharge		
Full Scale Production				
MC DecJet® 200	500 g – 80 kg/h	Top Discharge		
MC DecJet® 300	5 – 200 kg/h	Top Discharge		
MC DecJet® 400	10 – 400 kg/h	Top Discharge		
MC DecJet® 500	20 – 800 kg/h	Top Discharge		


Throughput depending on powder characteristics and final particle size

Advanced Micronizing Technology:

A primary aid in Dec's development has been the use of Computational Fluid Dynamics (CFD), allowing mill performance to be studied dynamically across a range of operating parameters.

CFD modelling thus reflects the design of Dec's MC DecJet® spiral jet mill range able to micronize corticosteroids such as fluticasone while maintaining a very tight PSD curve with a typical measurement of d50 < 1,5 μm and d90 < 3,0 μm . This represents a 50% improvement in terms of cumulative distribution compared to standard jet mill technology as well as impeccable scalability from research to production models. The carved chamber MC DecJet® version with low-friction inserts is also the product of CFD-assisted research.





Dry Powder Inhalation ProductionIsolator integrated MC DecJet® 150





Universal Milling SolutionUMS DecMill®

Contained Micronization

Powerful substances require a hazard and risk-based approach in ensuring safe handling methods and high containment. Dec's micronizing isolators provide a safe enclosure around the micronization process and therefore high containment of potent and/or sterile compounds for both operator and product protection (up to OEB7 products < 10 ng/m³)

Dec can offer highly complex integrated and completely contained solutions from the handling of the incoming powders, to micronization and micro-dosing within the isolator for inhaler filling operations for example.

Years of experience and deep-rooted expertise have made Dec a world leader in both micronization and process containment technologies, from simple standard isolator solutions to highly integrated systems allowing high flexibility and interchangeability between different types of equipment.

Universal Milling Solution

UMS DecMill® provides the ultimate in flexibility, taking up a minimum area for maximum product recovery. The milling systems are highly versatile and adaptable to various customer and product requirements.

Its easily accessible and interchangeable grinding media mills at an adjustable speed up to 500 kg per hour. The degree of product fineness depends upon a number of factors such as the physical nature of the product, the feed rate to the mill, the product to air ratio, the type and configuration of the grinding media as well as the rotational speed of the same.

Product size reduction typically ranges from 500 to 30 microns and below, depending on the application.

Standard Dime Turbine Screen		Motor Size	Applications
UMS DecMill® ø 50 mm	50 ø 60 mm	0,55 kW	Research and development
UMS DecMill® ø 100 mm	100 ø 110 mm	2 kW	Pilot plant
UMS DecMill® ø 150 mm	150 ø 165 mm	5,5 kW	Production plant
UMS DecMill® ø 200 mm	200 ø 230 mm	7,5 kW	Production plant
UMS DecMill® ø 300 mm	300 ø 300 mm	15 kW	Production plant








In DPI manufacturing particles need to be reduced in size to within the diameter range of < $1-5 \mu m$ in order to reach the lung airways.

For this purpose, Dec's patented MC DecJet® technology achieves controlled particle size reduction by using air or nitrogen at very high pressure.



Technical Support, Maintenance, Training & Workshops


At Dec, customer service is an important part of every project. We accompany our customers over the entire life cycle of their project. Dec's support team will provide professional support to any problem worldwide.

All Dec equipment is designed for optimal performance and durability. However, parts of every machine are subject to wear and tear. We offer spare parts and various maintenance models to enhance production efficiency and productivity.

Dec provides various training sessions from workshops on existing workplace equipment to teach operators how to effectively do their job to inhouse seminars or convenient webinars.

Short facts

The depth of Dec's knowledge and their ability to develop innovative new technologies make them an invaluable partner for both multinationals and specialist organizations. With true worldwide coverage through subsidiaries in Switzerland, Germany, Great Britain, Ireland, Netherlands, Poland, USA, India, China, its recent acquisition of advanced containment and aseptic solution provider Extract Technology as well as agents covering more than 60 countries, the Dec Group provides its customers with global expertise in process containment technologies and a reliable network for local support.



Switzerland

Dietrich Engineering Consultants sa Z. I. Larges Pièces A Chemin du Dévent P. O. Box 9 1024 Ecublens

Tel: +41 21 694 20 40

Germany

Dec Deutschland GmbH Max-Knöferl-Str. 6 85290 Geisenfeld

Tel: +49 8452 73223 0

Ireland

Dec Ireland Derry, Barefield Ennis. Co. Clare V95 X4W5

Tel: +353 86 606 7001

Netherlands

Dec Netherlands B.V. Minervum 7232 4817 ZJ Breda

Tel: +31 76 30200 23

Poland

Dec Poland Tekpro SP. z o.o. ul. Korczaka 37 39-300 Mielec

Tel: +48 17 788 6428

UK

Dec UK Ltd. The Beetham Suite Clawthorpe Hall Business Centre Burton Lancashire LA6 1NU

Tel: +44 1524 784 345

Extract Technology Ltd.
Bradley Junction Industrial Estate,
Leeds Road
Huddersfield
HD2 1UR

Tel: +44 1484 432727

USA

Dec-USA Inc 1118 Industrial Pkwy. Brick, NJ 08724

Tel: +1 732 2027536

Dec-USA Inc (Extract Technology) 161 Ensch Street Mauston, WI 53948

Tel: +1 608 562 7500

India

DecBectochem Engineering Pvt. Ltd. Everest chamber, A-Wing - 201, Marol Naka, Andheri - Kurla Road, Andheri East, 400 059 Mumbai

Tel: +91-2646-677400

China

Dec China Ltd. Room 101, Building E, 139 Fanghua Road, Pudong District Shanghai, 201204

Tel: +86 21 2076 5583